

# DAPCO™ 3005 Aerodynamic Smoothing Compound

## Description

DAPCO™ 3005 is a two-component, self-extinguishing epoxy filler, most commonly used for aerodynamic smoothing of composites and aluminum substrates.

## Features and benefits

- Cures at room temperature
- Excellent adhesion to metal, composites, fiberglass, Kydex™
- Very low water absorption
- Good chemical resistance, especially to aircraft fluids
- Can be threaded, countersunk, drilled, cut, etc. without cracking or chipping
- 100% solids
- Side by side applicator capability
- FAR 25.853

For more information, contact:

**D Aircraft Products, Inc.**

**Technical Service**

**1191 Hawk Circle**

**Anaheim, CA 92807**

**714 632-8444**

Page 1 of 3  
11/13/00 (090502)



## Storage and handling

Store in a cool, dry place.

Keep containers tightly sealed

Shelf life: Six months from date of shipment.

## Safety

Exercise good housekeeping practices. Material Safety Data Sheet available upon request.

## Important notice

The information and statements herein are we believe to be reliable but are not to be construed as a warranty or representation for which Cytec Engineered Materials assumes legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. **NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.** Nothing herein is to be taken as permission, inducement or recommendation to practice any patent invention without a licence.

contact  
us

### Cytec Engineered Materials Inc. North American Facilities

Anaheim, California  
714 630-9400 • Fax 714 666-4345

Havre de Grace, Maryland  
410 939-1910 • Fax 410 939-8100

Greenville, Texas  
903 457-8500 • Fax 903 457-8598

Winona, Minnesota  
507 454-3611 • Fax 507 452-8195

Orange, California  
714 639-2050 • Fax 714 639-2033

D Aircraft Products, Inc.  
Anaheim, California  
714 632-8444 • Fax 714 632-7164

Cytec Carbon Fibers LLC  
Piedmont, South Carolina  
800 222-2448 • Fax 864 299-9333

### GLOBAL HEADQUARTERS

Tempe, Arizona  
480 730-2000 • Fax 480 730-2390

---

### Cytec Engineered Materials, Ltd. United Kingdom

Wrexham, UK  
+44 1978 665200  
Fax +44 1978 665222

### Cytec Engineered Materials (GmbH) Germany

Ostringen, Germany  
+49 7523 912800  
Fax +49 7523 912899